

Thank you for downloading: AS3 XML Vector Template

Included are:

- *caurina folder* - this folder contains the tweening library that you will need for this template to work, just place it in the same folder as preview.swf
- *preview fla* - this is the main file which contains the template.
- *index.html* - this is the wrapper HTML file.
- *main.xml* - this is a setup file, to customize menu, sections, logo ect.
- *gallery.xml* - this is a setup file for the gallery section (each gallery need one of those files), it contains links to the images and thumbnails.
- *home.xml* - this is a setup file for home section, it contains links to the images that are displayed in the slide show.
- *com* - this is a folder which contains all the classes needed for the template to work, it contains several sub folders:
 - *ball* - this folder contains classes that were created specially for this template, this folder also contains subfolders.
 - *gallery* - this folder contains the gallery classes.
 - *events* - this folder contains the custom events that are used in this template.
 - *utils* - additional classes.
- *logo.png* - this file contains the logo which is displayed in the upper right corner, if you want to display your logo just swap this image.
- *images* - this folder contains images and thumbnails for the gallery.
- *externalswf.swf* - this file is used as an external swf, it's just an example of some external swf.
- *contact_parse.php* - this is the php file, it is used to send emails from contact form. To provide your email address open up this file with any text editor go to line 15 and enter your email address after the equal ('=') sign. For example \$to = "your_email@email.com";

Overview:

Welcome this is our first XML Template, it's called **AS3 XML Vector Template**, it's fully xml driven. We have put alot of work into it to ensure all your needs are fulfilled.

Main Features:

- fully xml driven (colors, text, opacity, images etc.)
- clean and simple design,
- you can simply adjust all the colors to your needs (also the opacity/alpha) through the xml file,
- it gives you ability to use simple animated menu with subsections,
- 6 different modules (described at the bottom),
- full screen option,
- background images,
- ActionScript 3.0,
- detailed help file included.

Modules:

- **Home** - this module provides the ability to show your users image slide show. The images are loaded in the background and displayed one after another. You can choose between three different type of transitions: fade, slide-right and slide-left. Also images are scaled to fit the screen.
- **Text** - this module gives you ability to display long text, when the text is longer then the section provided for it, the scroll bar automatically is shown on the side. You can use the html tags in your text. You can easily adjust the color of the text and background.
- **Gallery** - this module enables you to create advanced galleries. The images are loaded in the background. They are being scaled to the screen so they always fit perfectly. There is a slide show option that can be enabled easily. You can use the controls in the footer to navigate through the gallery or the thumbnails panel on the right.
- **Link** - this section enables you to redirect user to any url you specify in the xml file.
- **Swf** - this module provides ability to load any external swf into your website. For example if you need video player you can just load external media player.
- **Contact** - this module enables you to insert a contact form into your website, you can also provide the image that will be displayed in the background.

If you have any question's or suggestions please send me an email.
Don't forget to rate the file!

P.S Contact form doesn't work in the preview (because of the FlashDen php policy), but it will work perfectly on your sever if it's php enabled.

Enjoy.

How to use and modify the file:

If you want to customize this template open up the *main.xml* file. This is the most important file of this webpage. The whole data for the template is wrapped inside the `<data></data>` tags.

Inside the data tag there other tags:

- **setup** - this tag consists only one attribute - *background*, this attribute specifies the color of the webpage background.

NOTICE: All the colors has to by specified in the hexadecimal format, for example: *0xFF0000* (red).

- **logo** - this tag also contains only one attribute which is *source*, this attribute specifies the path to the logo file that will be displayed in the upper left corner of the webpage.

- **footer** - this tag specifies the properties of the templates footer, if contains few attributes :

- *fontcolor* - this attribute specifies the font color of the footer.

- *bgcolor* - this attribute specifies the background color of the footer.

Footer also contains one element called **copyrights**, between closing and opening tag you have to specify the copyright note (in `<![CDATA]]>` tags) that will be displayed in the lower left corner of the footer. **Copyrights** tag contains two attributes:

- *url* - this attribute specifies the url that will be open after the user clicks on the copyright note (you don't have to specify the url you can leave this option blank).

- *target* - you can choose between 4 targets:

- *"_self"* specifies the current frame in the current window. (open url in the same window)

- *"_blank"* specifies a new window. (open url in new window)

- *"_parent"* specifies the parent of the current frame.

- *"_top"* specifies the top-level frame in the current window.

- **menu** - this tag specifies the sections that will be displayed in the menu, also it specifies the sections content and the look (this is the most important tag). **Menu** tag contains two attributes that specify look of the menu:

- *fontcolor* - this attribute specifies color of the button font.

- *buttoncolor* - this attribute specifies color of the buttons.

Menu tag contains elements called **sections** and **subsections**. **Sections** are single buttons that are representing some section of your webpage, **subsection** specifies sub element of the **section** tag. If you want button to have subsections just add the **subsection** tag between the `<section>` and `</section>` tags.

NOTICE: If you want to add button that will contain subsection specify only it's *name* attribute.

For each section (or subsection) you have to specify two attributes:

- *name* - this attribute specifies the name that will be displayed in the menu.

- *type* - this attribute specifies type of the section you can choose between six types, each type has additional unique attributes that has to be specified:

- *home* - this is the slide show section that will display images. Additionally you will have to specify two more attributes:

- *source* - this attribute specifies path to the xml file that contains info about images that will be displayed in the slide show (the structure of this xml is shown at the bottom in the example's section).

- *effect* - you can choose between three different types of transition effects:
 - *fade* - this is the cross fade effect.
 - *slide-right* - this transition slides images from left to right.
 - *slide-left* - this transition slides images from right to left.
- *text* - this section contains: title and scrolled text. Also you can specify the image to be displayed at the background. This type of section also contains some additional attributes, you need to specify the text content between the `<section></section>` (or subsection) tags (in the `<![CDATA []]>` tag), you will find example on how to do this in the example section. Additional attributes:
 - *background* - this attribute specifies path to the image that will be displayed at the background of this section, for example "images/22.jpg".
 - *fontcolor* - this attribute specifies color of the text (font).
 - *bgcolor* - this attribute specifies color of text background.
 - *opacity* - this attribute is a value from 0 to 1 and it specifies the amount of background transparency.
- *gallery* - this section contains the image displaying engine, thumbnail panel and also the gallery controls in the footer. For this section you need to specify some additional attributes:
 - *source* - this attribute shows the path to the xml file that contains all the info about images that will be displayed in the gallery. (you can find structure of this file in the example section at the bottom).
 - *slideshow* - this attribute specifies whether the slideshow is by default on or off.
 - *fontcolor* - this attribute specifies the font color in the gallery.
 - *bgcolor* - this attribute specifies the color of user interface background.
 - *opacity* - this attribute is a value from 0 to 1 and it specifies the amount of user interface transparency.
 - *thumbnails* - this attribute specifies the text that will be displayed on the edge of thumbnail panel (default is "thumbnails").
- *url* - this type of section let you to navigate user to any url you want. Url section need two additional attributes to be specified:
 - *source* - here you provide your url, for example: <http://www.flashden.net/>
 - *target* - you can choose between 4 targets:
 - *"_self"* specifies the current frame in the current window. (open url in the same window)
 - *"_blank"* specifies a new window. (open url in new window)
 - *"_parent"* specifies the parent of the current frame.
 - *"_top"* specifies the top-level frame in the current window.
- *swf* - this type of section let you to load any external swf into this template, for example if you need a video player you can load it as an external swf. For the *swf* section you need to specify only one additional attribute:
 - *source* - this attribute specifies path to the external swf that will be loaded.
- *contact* - this type of section is a simple contact section with contact form, you can also provide some additional contact information between

the `<section></section>` (or subsection) tags (in the `<![CDATA []>` tag), you will find example on how to do this in the example section. Additional attributes are:

- *background* - here you can specify path to the image that will be displayed in the background.
- *fontcolor* - this attribute specifies color of the text (font).
- *bgcolor* - this attribute specifies color of contact form and text background.
- *opacity* - this attribute is a value from 0 to 1 and it specifies the amount of background transparency.
- *nick* - this attribute specifies the text that will be displayed in the first input field in contact form.
- *email* - this attribute specifies the text that will be displayed in the second input field in contact form.
- *message* - this attribute specifies the text that will be displayed in the third input field in contact form.
- *send* - this attribute specifies the text that will be displayed on the button below the contact form.
- *errormessage* - this attribute specifies the text that will be displayed when error occurs.
- *sendmessage* - this attribute specifies the text that will be displayed after the message is send.

NOTICE: *If you need any extra characters to be used in the text fields you need to open up the preview.fla file find the text field (open library panel go to sections folder and choose the section which you are interested in), click on it and from the properties panel choose embed and then select your special characters.*

Here are some example of how the xml files should look like:

1. main.xml

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<data>
  <setup background="0x262827"/>
  <logo source="logo.png"/>

  <footer fontcolor="0xFFFFFFFF" bgcolor="0x000000">
    <copyrights url="http://www.massiveProCreation.com" target="_blank">
      <![CDATA[Copyright 2009 massiveProCreation]]>
    </copyrights>
  </footer>

  <menu fontcolor="0xFFFFFFFF" buttoncolor="0x000000">
    <section name="Home" type="home" source="home.xml" effect="slide-
right"/>
    <section name="About">
      <subsection name="Template Features" type="text"
background="images/33.jpg" fontcolor="0xFFFFFFFF"
bgcolor="0x000000" opacity="0.38">
        <![CDATA[ Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Suspendisse et sem leo. Sed nec euismod ante. Curabitur vel malesuada
lectus. Praesent sapien lectus, congue a consequat a, ornare in nunc. Morbi
tristique dignissim feugiat. Integer dui nunc, hendrerit vel blandit nec,
pellentesque a mi. Pellentesque mattis laoreet eros, vitae mattis dui gravida
quis. Proin fermentum sodales porttitor. Duis eleifend, purus at mattis ornare,
ipsum ligula laoreet ligula, ut condimentum nunc dolor eget nunc. Curabitur erat
leo, porta sed aliquet non, elementum consequat ligula. Maecenas aliquam erat
orci, sit amet placerat sem. Ut et ipsum tortor, eget ultricies dolor. Nam quis
ligula ante, eget condimentum tortor. Suspendisse potenti. Phasellus ullamcorper
lectus a nisi imperdiet a imperdiet ligula convallis. </br>Sed rutrum ligula et
dolor adipiscing in interdum mi faucibus. Fusce nec tincidunt sem. Ut rhoncus
turpis id tellus tristique ultrices. In tellus odio, hendrerit nec volutpat id,
viverra sed libero. Vestibulum varius, turpis nec varius commodo, ligula ipsum
facilisis quam, vitae pretium felis purus vel sem. Pellentesque euismod, nisi id
fringilla viverra, erat dolor facilisis purus, eget pulvinar dolor diam vel
enim. Cras dictum porta sem, quis viverra risus interdum quis. Suspendisse non
scelerisque nunc. Cras sem nisi, molestie sit amet dignissim quis, eleifend quis
tortor. Suspendisse sapien neque, venenatis at tristique vel, consectetur sed
urna. Phasellus placerat, turpis vitae ullamcorper congue, sem velit imperdiet
libero, quis fringilla ipsum turpis eget magna. In scelerisque tempor fringilla.
Nulla ultricies auctor tortor, et viverra turpis elementum ac. Integer tristique
velit eu mi consequat sed lobortis sapien laoreet. Aenean imperdiet sagittis
arcu ac ullamcorper. Maecenas quis tristique velit. Nullam at faucibus massa.
Sed scelerisque nunc ut nulla aliquet a dapibus odio ullamcorper. Pellentesque
et neque nisl. Cras commodo erat ac dolor posuere condimentum. Vivamus dignissim
viverra velit in egestas. ]]>
      </subsection>
```

```
<subsection name="About Us" type="text" background="images/29.jpg"
fontcolor="0xFFFFFFFF" bgcolor="0x000000">
    <![CDATA[ Fusce nec tincidunt sem. Ut rhoncus turpis id tellus
tristique ultrices. In tellus odio, hendrerit nec volutpat id, viverra sed
libero. Vestibulum varius, turpis nec varius commodo, ligula ipsum facilisis
quam, vitae pretium felis purus vel sem. Pellentesque euismod, nisi id fringilla
viverra, erat dolor facilisis purus, eget pulvinar dolor diam vel enim. Cras
dictum porta sem, quis viverra risus interdum quis. Suspendisse non scelerisque
nunc. Cras sem nisi, molestie sit amet dignissim quis, eleifend quis tortor.
Suspendisse sapien neque, venenatis at tristique vel, consectetur sed urna.
Phasellus placerat, turpis vitae ullamcorper congue, sem velit imperdiet libero,
quis fringilla ipsum turpis eget magna. In scelerisque tempor fringilla. Nulla
ultricies auctor tortor, et viverra turpis elementum ac. Integer tristique velit
eu mi consequat sed lobortis sapien laoreet. Aenean imperdiet sagittis arcu ac
ullamcorper. Maecenas quis tristique velit. Nullam at faucibus massa. Sed
scelerisque nunc ut nulla aliquet a dapibus odio ullamcorper. Pellentesque et
neque nisl. Cras commodo erat ac dolor posuere condimentum. Vivamus dignissim
viverra velit in egestas. ]]>
    </subsection>
</section>
<section name="Gallery" type="gallery" source="gallery.xml"
slideshow="true" fontcolor="0xFFFFFFFF" bgcolor="0x000000" opacity="0.38"
thumbnails="thumbnails"/>
    <section name="External Swf" type="swf" source="externalswf.swf"/>
    <section name="Links" type="">
        <subsection name="FlashDen" type="url" source="http://
www.flashden.net/" target="_blank"/>
        <subsection name="ThemeForest" type="url" source="http://
themeforest.net/" target="_blank"/>
        <subsection name="Envato" type="url" source="http://
envato.com/" target="_blank"/>
    </section>
    <section name="Contact" type="contact" background="images/24.jpg"
fontcolor="0xFFFFFFFF" bgcolor="0x000000" opacity="0.38" nick="name" email="email"
message="message" send="send" errorMessage="Please fill this field"
sendMessage="Your message was sent.">
        <![CDATA[e-mail: vectorTemplate@mpc.com
cell: 123 3456789
</br>
Invia un messaggio per prenotare il tuo servizio fotografico o chiedere
ulteriori dettagli.]]>
    </section>
</menu>
</data>
```

2. Gallery.xml - source for the gallery section.

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<data>
  <pic image = "images/02.jpg" thumbnail = "images/02_th.jpg" description =
  ""/>
  <pic image = "images/03.jpg" thumbnail = "images/03_th.jpg" description =
  ""/>
  <pic image = "images/04.jpg" thumbnail = "images/04_th.jpg" description =
  ""/>
  <pic image = "images/05.jpg" thumbnail = "images/05_th.jpg" description =
  ""/>
  <pic image = "images/06.jpg" thumbnail = "images/06_th.jpg" description =
  ""/>
  <pic image = "images/07.jpg" thumbnail = "images/07_th.jpg" description =
  ""/>
  <pic image = "images/08.jpg" thumbnail = "images/08_th.jpg" description =
  ""/>
  <pic image = "images/09.jpg" thumbnail = "images/09_th.jpg" description =
  ""/>
  <pic image = "images/10.jpg" thumbnail = "images/10_th.jpg" description =
  ""/>
  <pic image = "images/11.jpg" thumbnail = "images/11_th.jpg" description =
  ""/>
  <pic image = "images/12.jpg" thumbnail = "images/12_th.jpg" description =
  ""/>
  <pic image = "images/13.jpg" thumbnail = "images/13_th.jpg" description =
  ""/>
  <pic image = "images/14.jpg" thumbnail = "images/14_th.jpg" description =
  ""/>
  <pic image = "images/15.jpg" thumbnail = "images/15_th.jpg" description =
  ""/>
  <pic image = "images/16.jpg" thumbnail = "images/16_th.jpg" description =
  ""/>
  <pic image = "images/17.jpg" thumbnail = "images/17_th.jpg" description =
  ""/>
  <pic image = "images/18.jpg" thumbnail = "images/18_th.jpg" description =
  ""/>
  <pic image = "images/19.jpg" thumbnail = "images/19_th.jpg" description =
  ""/>
  <pic image = "images/20.jpg" thumbnail = "images/20_th.jpg" description =
  ""/>
  <pic image = "images/29.jpg" thumbnail = "images/29_th.jpg" description =
  ""/>
  <pic image = "images/30.jpg" thumbnail = "images/30_th.jpg" description =
  ""/>
  <pic image = "images/31.jpg" thumbnail = "images/31_th.jpg" description =
  ""/>
  <pic image = "images/32.jpg" thumbnail = "images/32_th.jpg" description =
  ""/>
</data>
```


3. Home.xml - source for the home section.

```
<?xml version="1.0" encoding="utf-8" standalone="yes"?>
<data>

    <pic image = "images/02.jpg"/>
    <pic image = "images/08.jpg"/>
    <pic image = "images/09.jpg"/>
    <pic image = "images/10.jpg"/>
    <pic image = "images/06.jpg"/>
</data>
```

Enjoy!